Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L21	3278	345/156,676.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 11:16
L20	982	715/700,711.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 11:15
L19	5871	715/531,513,530,517,515,526.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 11:15
S14	3528	715/531,513,530,517,515,526.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:57
L18	473	(edit\$4 and (gui (graphical near4 interface)) and interact\$4 and text and display\$4 and screen and actuator and visual)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:56
L17	26448	(visual and pull-down and edit\$4 and text (actuator mouse) and (touch near4 screen))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:56
L2	44	(interact\$4 with text with display\$4 with screen) and (first near3 screen) and (second near3 screen)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:56
L1	5	(import\$4 mov\$4 insert\$4) with text with (first near3 screen) with (second near3 screen)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:56
L16	2	((manual near3 actuator) and (text near3 edit\$4) and screen and (import\$4 insert\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:55
L15	2540	(manual and actuator and user and interact\$4 and text)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:55

	r			,		T
S24	1477	(((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad)) and (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2))) not ((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2))))) and (insert\$4 add\$2 move\$2 paste\$2)) not ((((((text near3 (editing process\$4)))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad)) and (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2))) and conferenc\$4) not ((((((text near3 (editing process\$4))))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)))))) and (insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2))))))) and (insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2))))))))))))))))))))))))))))))))))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:54
L14	27679	(manual and user and interact\$4 and text)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:54
L13	37	(select\$4 same document same display\$4 same (insert\$4 import\$4) same predetermin\$4 same location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:54
L12	103	(first same second same (actuator mouse) same text same edit\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:54
L7	1	(first with second with text with edit\$4 with (gui (graphical near3 interface)) with interact\$4 with display\$4 with screen with (actuator mouse pointer click))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:54

			<del>-</del>		·	
S26	438	((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad)) and (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)) ) and conferenc\$4) not ((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)) ))) and (insert\$4 add\$2 move\$2 paste\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:53
S22	45	((((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad)) and (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)) and conferenc\$4) not ((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)) ) )) and (insert\$4 add\$2 move\$2 paste\$2)) and (conferenc\$4 same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:53
L11	17	(first same second same text same interact\$4 same display\$4 same screen same (mouse actuator) same visual)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:53
L10	130	((import\$4 insert\$4) same text same display\$4 same predetermin\$4 same location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:53
L9	13	(import\$4 mov\$4 insert\$4) with text with (first near3 (device screen)) with (second near3 (device screen))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:50

		(import\$4 mov\$4 insert\$4) with text with (first near3 (device screen)) with (second near3 (device screen)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:50
L8	0	(edit\$4 with (bluetooth) with ethernet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:49
		(first with second with text with edit\$4 with (gui (graphical near3 interface)) with interact\$4 with display\$4 with screen with (actuator mouse pointer click)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:45
L6	1	(first with text with edit\$4) and (manual near3 actuator) and display\$4 and interact\$4 and ((import\$4 insert\$4 mov\$4) near4 text) and (second with text with edit\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:42
L5	332	(((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:23
S12	152	((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:16
S10	93	(((((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and document\$2) and (location same document\$2)) and portable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:15

L4	194	(((((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and document\$2) and (location same document\$2)) and portable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 10:15
S9	281	((((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and document\$2) and (location same document\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/11 09:48
S4	8550	((text near3 (editing process\$4))) and (text same display\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/08 15:51
S17	152	(((((((text near3 (editing process\$4))) and (text same display\$4)) and (mouse keypad key-pad touch-screen (touch\$4 near3 screen) (key adj pad))) and (interact\$4 same text)) and ((insert\$4 import\$4) same text)) and ((insert\$4 import\$4 mov\$4 transfer\$4) same (portable handheld mobile palm pda (personal near2 digital near2 assistant\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/08 15:50
S1	16743	(text near3 (editing process\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON.	2006/09/08 15:26



Home | Login | Logout | Access Information | Ale

### Welcome United States Patent and Trademark Office

■ Search Session History

BROWSE SEARCH IEEE XPLORE GUIDE

### Mon, 11 Sep 2006, 9:45:00 AM EST

Edit an existing query or compose a new query in the Search Query Display.

### Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display					

### **Recent Search Queries**

<u>#1</u>	( (text <in>metadata ) <and> ( editing or edit or editor<in>metadata ) /<and></and></in></and></in>
#2	( ( actuator or mouse or pointer <in>metadata ) <and> ( text<in>metadata ) ) <and> ( editor or edit or editing<in>metadata )</in></and></in></and></in>
<u>#3</u>	( ( actuator or mouse or pointer <in>metadata ) <and> ( text<in>metadata ) ) <and> ( editor or edit or editing<in>metadata )</in></and></in></and></in>
#4	((moving text from one screen to another) <in>metadata)</in>
<u>#5</u>	((insert text from one screen to another) <in>metadata)</in>
<u>#6</u>	( ( import or insert <in>metadata ) <and> ( text<in>metadata ) )<and> ( screen<in>metadata )</in></and></in></and></in>
<b>#</b> 7.	((interact with text displayed on screen ) <in>metadata)</in>
#8	( ( mouse or pointer or actuator <in>metadata ) <and> ( text displayed<in>metadata ) )<and> ( import or insert or move<in>metadata )</in></and></in></and></in>
<u>#9</u>	( ( text <in>metadata ) <and> ( edit<in>metadata ) )<and> ( bluetooth or ethernet<in>metadata )</in></and></in></and></in>
<u>#10</u> .	( ( first screen <in>metadata ) <and> ( second screen<in>metadata ) )<and> ( text<in>metadata )</in></and></in></and></in>
<b>#11</b>	((insert and predetermined and location and text and edit and (actuator or mouse or pointer)) <in>metadata)</in>
<u>#12</u>	(((interact with text) and (mouse or pointer or actuator) ) <in>metadata)</in>

indexed by

Help Contact Us Privac

© Copyright 2006 IE